

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897C2

Serial No.

08/779,599

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant


Goeddel and Rothe

Filing Date

07 Jan 1997

Group

Not Known



FOREIGN PATENT DOCUMENTS

Examiner Initials	Document Number	Date	Name	Class	Subclass	Filing Date
2	1 4,861,587	29.08.89	Urbaschek et al.	A61K 424	37/02 85,1	14.04.87

FOREIGN PATENT DOCUMENTS

Examiner Initials	Document Number	Date	Country	Class	Subclass	Translation Yes	No
2	2 417,563	20.03.91	EPO (ENGLISH ABSTRACT ATTACHED)				X
2	3 418,014	20.03.91	EPO				
2	4 WO 96/01642	25.01.96	WO 96/01642				

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

2	5	Pharmacia Catalog pps. 133, 142-143 (1994)
2	6	Clonetech Catalog pps. 19, 192-194 (1994)
2	7	Berg, J., "Zinc Fingers and Other Metal-Binding Domains" <u>Journal of Biological Chemistry</u> 265(12):6513-6516 (1990)
2	8	Beutler, B. and Cerami, A., "Tumor necrosis, cachexia, shock, and inflammation: a common mediator" <u>Ann. Rev. Biochem.</u> 57:505-518 (1988)
2	9	Blake et al., "The sequences of the human and mouse c-cbl proto-oncogenes show v-cbl was generated by a large truncation encompassing a proline-rich domain and a leucine zipper-like motif" <u>Oncogene</u> 6:653-657 (1991)
2	10	Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)
2	11	Chan et al., "Molecular definition and sequence motifs of the 52-kD component of human SS-A/Ro Autoantigen" <u>J. Clin. Invest.</u> 87:68-76 (1991)
2	12	Cheng et al., "Involvement of CRAF1, a relative of TRAF, in CD40 signaling" <u>Science</u> 267(8):1494-1498 (1995)
2	13	Chevray et al., "Protein interaction cloning in yeast: identification of mammalian proteins that react with the Leucine Zipper of Jun" <u>Proc. Natl. Acad. Sci. USA</u> 89:5789-5793 (1992)
2	14	Chien et al., "The Two-Hybrid System: A method to identify and clone genes for proteins that interact with a protein of interest" <u>Proc. Natl. Acad. Sci. USA</u> 88:9578-9582 (1991)
2	15	Dang et al., "COP1, an arabidopsis regulatory gene, encodes a protein with both a zinc-binding motif and a G, homologous domain" <u>Cell</u> 71:791-801 (1992)
2	16	Driscoll and Williams, "Two divergently transcribed genes of dictyostelium discoideum are cyclic AMP-inducible and coregulated during development" <u>Molecular & Cellular Biology</u> 7(12):4482-4489 (1987)
2	17	Durfee et al., "The retinoblastoma protein associates with the protein phosphatase type 1 catalytic subunit" <u>Genes and Development</u> 7(4):555-569 (1993)
2	18	Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-like Activity" <u>Journal of Biological Chemistry</u> 265(24):14497-14504 (1990)
2	19	Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor" <u>Journal of Experimental Medicine</u> 171:415-426 (1990)

Examiner


John R. Ulin

Date Considered

7-3-97

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449		U.S. Dept. of Commerce Patent and Trademark Office		Atty Docket No. P0897C2	Serial No. 08/779,599
LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheets if necessary)				Applicant Goeddel and Rothe	
				Filing Date 07 Jan 1997	Group Not Known




OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)	
20	Fields and Song, "A novel genetic system to detect protein-protein interactions" <u>Nature</u> 340:245-246 (1989)
21	Fiers, W., "Tumor necrosis factor characterization at the molecular, cellular and In Vivo level" <u>FEBS Letters</u> 285(2):199-212 (1991)
22	Freemont et al., "A novel cysteine-rich sequence motif" <u>Cell</u> 64:483-484 (1991)
23	Goeddel et al., "TNF receptor signal transduction" <u>Keystone Symposium on Hematopoiesis, Breckenridge, Colorado, Jan. 4-11, 1994</u> (Abstract only) Supplement 0 (Supp 0(18 Pt A):A011 (1994)
24	Goeddel et al., "Tumor Necrosis Factors: Gene Structure and Biological Activities" <u>Cold Spring Harbor Symposia on Quantitative Biology</u> LI:597-609 (1986)
25	Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular & Cellular Biology</u> 11:3020-3026 (1991)
26	Gray et al., "Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine with Tumour Necrosis Activity" <u>Nature</u> 312:721-724 (1984)
27	Haupt et al., "Novel zinc finger gene implicated as myc collaborator by retrovirally accelerated lymphomagenesis in Eμ-myc transgenic mice" <u>Cell</u> 65:753-763 (1991)
28	Hohmann et al., "Expression of the types A and B tumor necrosis factor (TNF) receptors is independently regulated, and both receptors mediate activation of the transcription factor NF-κB" <u>Journal of Biological Chemistry</u> 265:22409-22417 (1990)
29	Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNF alpha)" <u>Journal of Biological Chemistry</u> 264(25):14927-14934 (1989)
30	Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40" <u>Journal of Biological Chemistry</u> 269(48):30069-30072 (1994)
31	Inoue et al., "Genomic binding-site cloning reveals an estrogen-responsive gene that encodes a ring finger protein" <u>Proc. Natl. Acad. Sci. USA</u> 90:11117-11121 (1993)
32	Itoh et al., "Protein heterogeneity in the human Ro/SSA ribonucleoproteins" <u>J. Clin. Invest.</u> 87:177-186 (1991)
33	Jones et al., "The saccharomyces cerevisiae RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence" <u>Nucl. Acids Res.</u> 16(14):7119-7131 (1988)
34	Kohn et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)
35	Landschulz et al., "The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins" <u>Science</u> 204:1759-1764 (1988)
36	Lenardo and Baltimore, "NF-κB: A pleiotropic mediator of inducible and tissue-specific gene control" <u>Cell</u> 58:227-229 (1989)
37	Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991)
38	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (April 20, 1990)
39	Mardon and Page, "The sex-determining region of the mouse Y chromosome encodes a protein with a highly acidic domain and 13 zinc fingers" <u>Cell</u> 56:765-770 (1989)

Examiner <i>John R. Cunniff</i>	Date Considered <i>2-3-92</i>
------------------------------------	----------------------------------

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449



LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Atty Docket No.

P0897C2

Serial No.

08/779,599

Applicant

Goeddel and Rothe

Filing Date

07 Jan 1997

Group

Not Known

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

40	Miller et al., "Repetitive zinc-binding domains in the protein transcription factor IIIA from Xenopus Oocytes" <u>EMBO Journal</u> 4(6):1609-1614 (1985)
41	Miyatake et al., "Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes" <u>EMBO Journal</u> 4:2561-2568 (1985)
42	Mosialos et al., "The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family" <u>Cell</u> 80:389-399 (1995)
43	Naume, B. et al., "Involvement of the 55- and 75-kDa tumor necrosis factor receptors in the generation of lymphokine-activated killer cell activity and proliferation of natural killer cells" <u>J. Immunol.</u> 146:3035-3048 (1991)
44	Neta et al., "Comparison of the In Vivo effects of rIL-1 and rTNF in radioprotection, induction of CSF and of acute phase reactants" <u>Fed. Proc.</u> (Abstract) 46(4):1200 (1987)
45	Neta et al., "Interdependence of the radioprotective effects of human recombinant interleukin 1 α , tumor necrosis factor α , granulocyte colony-stimulating factor, and murine recombinant granulocyte-macrophage colony-stimulating factor" <u>J. Immunol.</u> 140(1):108-111 (1988)
46	Neta et al., "Interleukin 1 is a radioprotector" <u>J. Immunol.</u> 136(7):2483-2485 (April 1, 1986)
47	Nietfeld et al., "Second-order repeats in xenopus laevis finger proteins" <u>J. Mol. Biol.</u> 208:639-659 (1989)
48	Nopfar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" <u>EMBO Journal</u> 9:3269-3278 (1990)
49	Old, L.J., "Tumor Necrosis Factor" <u>Sci. Am.</u> 258(5):59-75 (1988)
50	Opipari et al., "The A20 cDNA induced by tumor necrosis factor α encodes a Novel type of zinc finger protein" <u>Journal of Biological Chemistry</u> 265:14705-14708 (1990)
51	Patarca et al., "rpt-1, an intracellular protein from helper/inducer T cells that regulates gene expression of interleukin 2 receptor and human immunodeficiency virus type 1" <u>Proc. Natl. Acad. Sci. USA</u> 85:2733-2737 (1988)
52	Pennica et al., "Human Tumour Necrosis Factor: Precursor Structure, Expression and Homology to Lymphotoxin" <u>Nature</u> 312:724-729 (1984)
53	Reddy et al., "A novel zinc finger coiled-coil domain in a family of nuclear proteins" <u>Trends Biochem. Sci.</u> 17:344-345 (1992)
54	Rothe et al., "A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDa tumor necrosis factor receptor" <u>Cell</u> 78:681-692 (1994)
55	Rothe, M., "TRAF1 and TRAF2" <u>5th International Congress on TNF and Related Cytokines, Monterey, CA (May 31, 1994)</u> ((Oral Presentation)) (1994)
56	Ruiz i Altaba et al., "Xfin: an embryonic gene encoding a multifingered protein in Xenopus" <u>EMBO Journal</u> 6(10):3065-3070 (1987)
57	Sato et al., "A novel member of the TRAF family of putative signal transducing proteins binds to the cytosolic domain of CD40" <u>FEBS Letters</u> 358(2):113-118 (1995)
58	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (April 20, 1990)
59	Schatz et al., "The V(D)J recombination activating gene, RAG-1" <u>Cell</u> 59:1035-1048 (1989)

Examiner

J. L. R. Carr

Date Considered


2-3-97

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)



U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0897C2

Serial No.

08/779,599

Applicant

Goeddel and Rothe

Filing Date

07 Jan 1997

Group

Not Known

OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.)

[illegible]

Examiner

Town D. C.

Date Considered

2-3-92

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.